




FIXNORDIC.DK

Roof Console - warm Roof Wooden Rafters

(Console System for Thermal Collectors, Heatpumps etc.)




Guideline for installation of Roof Consoles on wooden rafters

FIXNORDIC
proof enough.



Product and Accessory Overview



Roof Console 1 layer

#220063-1xx 1 layer of bitumen

#220063-2xx single bly (pvc, fpo, tpo etc.)

Console Anchors

#250088 Hanger Bolt Wood (M12x200)

#210066 Wood Screw

#210067 Concrete Bolt (Ø10x80)

#250082 Hanger Bolt Concrete (M12x200)

#215004 Toggle Anchor (M12x200)



Console Adapters and insulation

#250087 Console Adapter (Ø80 mm)

#250084-150 Console Adapter M12 (Ø40x150)

#250085-300 Console Adapter M12 (Ø40x300)

#250086-450 Console Adapter M12 (Ø40x450)



The Insulation Tube (Ø40x50) will included in the article numbers #250084, #250085 and #250086.



Tools and symbol overview


The following list presents the recommended tools for performing an efficient and correct installation of the Roof Console on wooden rafters in warm roof constructions.



Ruler
Gehrungssäge



Miter Saw



Soft Hammer



Drill driver with a Torx 30 Bit



Wrench



Ø40 mm Insulation knife



Ø10 mm drill



9 mm Bit Socket



Bitumen: Gas Torch
Single Ply: Hot Air Furn




Manual handling




Tightening operation (clock wise rotation)



1. Console Adapter Length-adjustment




2. Console Adapter Length-adjustment



When the insulation thickness has been measured for each specific Roof Console location, each of the Console Adapters must be cut to the correct length. This is easily done as a length indicator on the Console Adapter directly corresponds to the measured value, and cutting the Console Adapter using the length indicator will ensure system compliance.



3. Console Adapter pre-assembly




Console Adapter overview




1. Console Adapter Thread Insert (M12)
2. Retaining Bolts
3. Console Adapter 150 or 300 mm

Constraining torque: 15 Nm



The first step in the assembly process is to insert the M12 Thread Insert into the Console Adapter basic profile. This is done by simply sliding the Insert in to the key hole and bringing it to its intended position with an easy stroke of a soft hammer.




With the Thread Insert in position it must be constrained by turning in the two M6 bolts until they each reach their natural stop.




After the two bolts have been retained correctly the console is ready to be assembled with the Roof Console.


4. Roof Console pre-assembly



The pre-assembled Console Adapter must be installed by engaging the internal M35 thread with the M35 thread inside the Roof Console housing.





The Console Adapter is turned with the hand until it reaches a natural stop whereafter it is tightened with a wrench or similar.





When the Console Adapter is mounted the installation of the anchor can be initialized.

5. Anchor and Console Installatio (Insulation cutout and drilling)






Using a tube knife min. Ø40mm the insulation is cut out all the way to the Vapour Barrier.
Important: Do not cut Vapour Barrier!





Concentric to the circular cutout in the insulation a hole for the insertion of the wood anchor must be drilled with a diameter of Ø10 mm and with a recommended length of 100 mm into the

6. Anchor and Console Installation (Hangerbolt and Insulation tube)




The wood screw must be inserted
min. 100 mm.

Min. 100 mm




With the M12 threaded end of the wood
hangerbolt protruding up from the rafter
the Ø40x30 mm insulation tube must be
inserted.


7. Anchor and Console Installation (Console Installation - torching and welding)



With the preassembled Console Adapter installed the Console is simply mounted by engaging the M12 thread of the Console Adapter on to the upstanding Hanger Bolt and turned clock wise to engage with the thread. When turning attention must be brought on obtainin good contact with the existing roof and not to over turn the console and hereby creating tensions in the membrane or unintended deformation of the supporting insulation.



Once the Console has been brought to the intended position in good contact with the general roofing surface and with its perimeter edges correctly aligned, the membrane of the console is either torched or welded to the existing roof. The welding process depends on the type of membrane.



When the Roofer has completed the welding process the installaton of the Console is completed, and the following installation of Collector Platforms, Heat Pump framing etc. can be initialized. Please refer to the specific FIXNORDIC installation guideline for more information.

