



FIXNORDIC.DK

Soil pipe ventilation double pipe model with mouldable membrane From FIXNORDIC



DATASHEET

Soil pipe ventilation double pipe model for 10 – 45° incline
From FIXNORDIC

PRODUCT DESCRIPTION

FIXNORDIC Soil pipe ventilation, double pipe model with mouldable membrane, 10 - 45°

APPLICATION:

For ventilation of soil pipes where a safe, tight flashing is required as well as an odorless penetration of the roof structure on pitched roofs with clay roof tiles, Eternit, or similar.

The soil pipe ventilation ensures a waterproof penetration of the roof surface itself, and via a rubber seal in the soil pipe an airtight extension of the soil pipe is ensured through the roof structure and up to the inlet above the roof surface.

Installation and application must be conducted in accordance with current legislation and industry standards.

MATERIALS

Membrane material: Fast Flash and Perform, for other materials please contact FIXNORDIC.

Soil pipe:


Zinc version: Zinc 14

Stainless version: Stainless steel AISI 304/ EN 1.4301




TEKNISKE SPECIFIKATIONER

Tight assembly between soil pipe and soil pipe flashing through o-ring



Soil pipe from the house sewer system protruding from the roof surface



For dimensions A, B, D1 and h, see the table beneath ARTICLE NUMBERS

ARTICLE NUMBERS

DN [mm]	DIAMETER (D1) [mm]	FLANGE (AxB) [mm]	STANDARD DIMENSIONS		
			MATERIAL	ROOF PITCH [°]	ARTICLE NUMBER 10 – 45°
Ø75	Ø90	625x500	Zinc 14	10	77075-10-520
				20	77075-20-520
				25	77075-25-520
				30	77075-30-520
				35	77075-35-520
				40	77075-40-520
				45	77075-45-520
				*	77075-99-520
			Stainless steel AISI 304	10	76075-10-520
				20	76075-20-520
				25	76075-25-520
				30	76075-30-520
				35	76075-35-520
				40	76075-40-520
				45	76075-45-520
				*	76075-99-520
Ø110	Ø125	625x500	Zinc 14	10	77110-10-520
				20	77110-20-520
				25	77110-25-520
				30	77110-30-520
				35	77110-35-520
				40	77110-40-520
				45	77110-45-520
				*	77110-99-520
			Stainless steel AISI 304	10	76110-10-520
				20	76110-20-520
				25	76110-25-520
				30	76110-30-520
				35	76110-35-520
				40	76110-40-520
				45	76110-45-520
				*	76110-99-520

* Fixnordic offers soil pipe ventilation for project specific roof pitches, these are marked with "99" in the item number overview.